

Awarded by



20MM ROTARY HAMMER

HSN CODE: 84672100

IRH 2-20 RE



Product Features :-

Why this Tool?

- Robust & powerful 550W motor.
- Max. 20mm drilling in concrete.
- Impact stop for drilling in wood and steel.
- Forward, reverse operation.

Specification Overview :-

Rated input power	550 W	
No load speed	0-1400 rpm	
Impact rate	0-4400 bpm	
Impact energy	0-2.2 J	
Net weight	2.0 Kg	
Drilling Range		
Masonry	Steel	13 mm
core cutters	68 mm	
Concrete	20 mm	Aluminium N.A.



Awarded by



26MM ROTARY HAMMER

IRH 2-26 DRE

HSN CODE: 84672100



Product Features :-

Why this Tool?

- Superior drilling in 2Kg. hammer.
- Max. 26mm drilling in concrete.
- Rotation stop for chiselling.
- Impact stop for drilling in wood and steel.
- Forward & reverse rotation.
- Continuously variable speed control for clean drilling starts.

Specification Overview :-

Rated input power 800 W

Impact rate 0-3 J

No load speed 0-900 rpm

Net weight 2.7 Kg

Drilling Range

Wood 30 mm Steel 13 mm

Concrete 26 mm Masonry, core cutters 68 mm.



Awarded by



28MM ROTARY HAMMER

IRH 2-28 DV

HSN CODE: 84672100



Product Features :-

Why this Tool?

- Powerful 850W motor.
- Max. 28mm drilling in concrete.
- Rotation stop for chiselling.
- Forward & reverse rotation.
- Lock-on button for continuous drilling.
- variable speed control for easy adjustment of speed.

Specification Overview :-

Rated input power 850 W

Impact rate 0-3.2 J

No load speed 0-1300 rpm

Net weight 2.9 Kg

Drilling Range

Wood 30 mm Steel 13 mm

Concrete 28 mm Masonry, core cutters 68 mm.